



South Coast Air Quality Management District
 21865 Copley Drive, P.O. Box 4941, Diamond Bar 91765-0941

DATE OF INSPECTION: 3/28/08

NOTICE TO COMPLY

The following numbered Notices to Comply (served concurrently herewith) constitute parts of this Notice to Comply: Notice #(s):

FACILITY NAME: VISION REMODELING INC.		FACILITY ID #: 95762	
LOCATION ADDRESS: 7803 PARKMAN STREET		MAILING ADDRESS: 14416 HARMON ST.	
CITY: DENVER	ZIP: 80239	CITY: VENUE	ZIP: 91401
SECTOR: RB		TELEPHONE #: (800) 956-3220 FAX (918) 989-3240	

YOU ARE DIRECTED TO COMPLY WITH:

REPLY REPORT BY CITED FACILITY:
 (attach additional pages as necessary)

ITEM #	AQMD Permit # or Equipment Desc. • AQMD Rule # • Cal H&S Code §	A MEANS OF ACHIEVING COMPLIANCE IS:	DATE COMPLIANCE DUE	DATE COMPLIANCE ACHIEVED	DESCRIPTION OF HOW COMPLIANCE WAS ACHIEVED
1	1403 (D) (A) (B)	(1) SUBMIT PHOTO OF PROTECTORS NOTIFICATION AND FOR PERMIT TO LABORATION			
2	1403	* PRIOR TO PARTIALER RECONSTRUCTION OR REMOVAL OF PROTECTORS ABOVE AN OPERATIONAL PROTECTORS CONSTRUCTION (402) PROTECTORS THE SHIP LABORATION PERMITS	3/24/08		
3	1403 (A) (A) (N)	* PROTECTORS - IF NO PROTECTORS SIMILAR SET SITE AND BRACK ABOVE-WIP PROTECTORS PLUM PARTIALER APPROVAL SUBMIT COPY OF STATE OF WORK AND CONTACT W/ OWNER			
SERVED TO: DESSAR GARCIA CEO		BY INSPECTOR: WALTER SHEN			
TITLE: CONTRACTOR		TELEPHONE: (904) 396-2487		SIGNATURE OF OWNER/RESPONSIBLE OFFICIAL:	
TITLE: FAHLON		DATE: 3/28/08		TITLE:	
		(PROS. NOTE)		DATE:	

INSTRUCTION/INFORMATION:

- For each minor violation cited compliance shall be achieved by the due date specified above for that particular violation.
- Within 5 working days of achieving compliance for each respective violation, the owner/responsible officer of the cited facility must complete and return a signed copy of this Notice to the South Coast Air Quality Management District at the address listed above. Please copy this Notice as many times as necessary to provide the required information.
- On each copy include a written statement describing when and how compliance was achieved. Send all completed copies to the attention of the inspector named above.
- Failure to respond or a false statement that compliance has been achieved is a violation subject to further legal action pursuant to the California Health and Safety Code.
- Any person issued a Notice to Comply may appeal the issuance by filing a written appeal, including all reasons for the appeal, with the South Coast Air Quality Management District at the address listed above within 7 days of receipt of the Notice.
- The facility cited in this Notice is subject to reinspection at any time to ensure compliance.

NO. D 16352 SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 FILE COPY (blue) SOURCE COPY (gold) INSPECTOR COPY (white)